

SAME

Corsaro

70



4 -wheel drive model
original « SAME » system

In the wake of the impressive « Centauro » tractor comes the new « SAME » CORSARO

- new 4-cylinder, in-line engine: exuberant power to meet all the requirements of modern mechanized farming
- new gearbox with mesh-up synchronizer



Within the framework of the « SAME » NEW POWER policy this « long thrust » tractor presents the following principal features

- Air-cooling: the hotter it is outside, the better the engine air-cooling
- « SAME » Automatic Linkage Control Unit

- 4-wheel drive (original « SAME » system)
- Affords the comfort of a large automobile
- Will take any implement, from the straw-baler to the harvester: the engine of the CORSARO never flags!



2-wheel drive model

TECHNICAL DATA

ENGINE

Model	SAME 036 - 984
Fuel type	Diesel
Cycle	4 stroke
Injection	Direct
Number of cylinders	4
Cylinder arrangement	in line
Bore	3.85826 ins (98 mm)
Stroke	4.72440 ins (120 mm)
Displacement	221 cu. ins (3620 cm ³)
Compression ratio	17 : 1
Max. power	67 HP
R.p.m. at max. power	2200
Cooling	Air
Lubrication	Forced
Valves	Overhead

DIMENSIONS

	2-W.D.		4-W.D.	
Overall length	140.2 ins (356 cm)	142.5 ins (362 cm)	142.5 ins (362 cm)	142.5 ins (362 cm)
Overall width	72.0 ins (183 cm)	72.0 ins (183 cm)	72.0 ins (183 cm)	72.0 ins (183 cm)
Overall height	61.8 ins (157 cm)	62.6 ins (159 cm)	62.6 ins (159 cm)	62.6 ins (159 cm)
Height to hoodline	53.1 ins (135 cm)	53.9 ins (137 cm)	53.9 ins (137 cm)	53.9 ins (137 cm)
Ground clearance	20.9 ins (53 cm)	14.6 ins (37 cm)	14.6 ins (37 cm)	14.6 ins (37 cm)
Wheel base	92.5 ins (235 cm)	92.5 ins (235 cm)	92.5 ins (235 cm)	92.5 ins (235 cm)
Front wheel-track				
Minimum	52.0 ins (132 cm)	56.3 ins (143 cm)	56.3 ins (143 cm)	56.3 ins (143 cm)
Maximum	79.5 ins (202 cm)	—	—	—
Rear wheel-track				
Minimum	55.1 ins (140 cm)	55.1 ins (140 cm)	55.1 ins (140 cm)	55.1 ins (140 cm)
Maximum	78.7 ins (200 cm)	78.7 ins (200 cm)	78.7 ins (200 cm)	78.7 ins (200 cm)
Front tyres	7.50-16	11.2/10-24	11.2/10-24	11.2/10-24
Rear tyres	16.9/14-30	16.9/14-30	16.9/14-30	16.9/14-30
Weight	5094 lbs (2310 Kgs)	5800 lbs (2630 Kgs)	5800 lbs (2630 Kgs)	5800 lbs (2630 Kgs)

SPEEDS in m.p.h. (Km.p.h.)
at 2200 r.p.m.
with rear tyres 16.9/14-30

1st	0.71 (1.14)
2nd	1.39 (2.24)
3rd	2.01 (3.23)
4th	2.92 (4.71)
5th	3.94 (6.35)
6th	5.40 (8.69)
7th	8.29 (13.33)
8th	15.30 (24.62)
1st rev.	1.18 (1.90)
2nd rev.	2.32 (3.73)
3rd rev.	4.87 (7.84)
4th rev.	9.00 (14.48)

On request the type with maximum speed of 17.8 m.p.h. (28.8 Km.p.h.) is also available.

SAME

SAME S.p.A.
24047 Treviso (Italy)
Tel. 2781
Telex: 32472 Sametrac



the lube-oil
of our choice

Prop. SAME - mod. 17 - II, 73 80) - Edizioni APIS - Viale Majno, 26 - 20129 Milano (Italy)
Technical data are subject to change and are not binding.



TIMM ENTERPRISES LTD.

5204 TRAFALGAR RD. P.O. BOX 157
OAKVILLE, ONTARIO, CANADA
PHONES (416) 826-1333 878-4244

area agent: