




DK SERIES



We're the Leader of the Pack





Kioti carries an entire line of implements for their tractors...



There are a lot of reasons why Kioti tractors are considered the leader of the pack. For starters, every Kioti compact is built to adhere to the most rigorous quality standards in the industry. Our line of compact tractors includes a desirable list of standard features, all at a very affordable price.

Primarily, though, the Kioti line of compact tractors is designed to make your job a lot easier. Whether it's lawn maintenance, landscaping, or small contracting.

So stop by your nearest Kioti dealer and see for yourself why we are the *Leader of the Pack*.





DK40

The *DK Models* are a flat-deck series for ease of mount and dismount.

All DK's are 4-wheel drive and include forward and reverse shuttle on the steering column.

There is a sun shade available for all models and the DK50 also comes in a cab version.



DK50

STANDARD EQUIPMENT

- Foldable ROPS with Seat Belt
- Power Steering
- Differential Lock
- Front and Rear PTO on some models
- Wet Disc Brakes
- Hyd. Pump w/Diverting Block
- Hand & Foot Throttles
- Adjustable Drawbar
- Adjustable Seat
- Headlights
- Safety Lights
- Safety Start Switch


INSTRUMENT PANEL

- Tachometer with Hour Meter
- Temperature Gauge
- Fuel Gauge
- Oil Pressure Indicator
- Low Fuel Indicator
- Glow Plug Indicator
- Low Coolant Indicator

OPTIONAL EQUIPMENT

- 1- Front End Loaders
- 2- Backhoes
- 3- Mowers
- 3- Tillers
- 4- Front Weights

We're the *Leader of the Pack*



DK SERIES SPECIFICATIONS

	DK35	DK40	DK45	DK50
Model Engine	3A165D	4A200B	4A220B	4A200T
Type	3-cyl., Indirect engine, Vertical, Water-cooled, 4-cycle diesel engine	4-cyl., Water-cooled, 4-cycle diesel engine		
Gross Power	35 Hp @2700 RPM	40 Hp @2700 RPM	45 Hp @2600 RPM	49 Hp @2600 RPM
Displacement	1647 (cc)	2000 (cc)	2197 (cc)	2000 (cc)
Transmission Type	Synchronized shuttle and synchronized transmission			
Travel Speeds	8 forward, 8 reverse (creep gear optional on all types)			
Brakes	Wet disc type			
Clutch	Dry type single stage		Dry single plate – Single stage	
PTO Type (rear)	Independent front and rear		Independent (Electric on and off)	
Hp PTO	28.3	33.4	38	41.5
Rear PTO Speeds	540 rpm/Eng. 2451 rpm			
MID & Front PTO Speeds	MID - 2000 rpm/Eng. 2452 rpm		Front - Engine rpm	
3-Point Hitch Type	SAE Category 1			
Lift Capacity at Lift Point	2270 lb (1030 kg)		2314 lb.	
Hydraulics	Main pump: 7.8GPM, Steering Pump: 4.7GPM		1st: 8.24GPM, 2nd: 4.94 GPM	
- Pump Capacity	Position Control, Draft and Mixed Control			
- 3-point Hitch Control	Optional Tires - Turf, Industrial			
Tires - 4wd - AG Type				
-Front	7 - 16	8 - 16	9.5 - 16	
-Rear	12.4 - 24	13.6 - 24	14.9 - 24	
Dimensions - wheelbase	65.7 inches (1668mm)	70 inches (1780mm)	71.6 inches (1820mm)	
Weight	3355 lbs. with ROPS and Tires	3598 lbs. with ROPS and Tires	3792 lbs. with ROPS and Tires	3813 lbs. with ROPS and Tires



KIOTI TRACTOR DIVISION
DAEDONG - USA, INC.

<http://www.kiotitractor.com>
1877 GO KIOTI
Tel: 252.291.6111
Fax: 252-291.9161