

MAHINDRA

T R A C T O R S

30-4WD Series

**3-YEAR
WARRANTY**



Cultivate
Your
Dreams™



SUPERIOR PERFORMANCE

At 2595 kgs. the 4530 is one of the heaviest and most rugged tractors in its category. In keeping with the design adopted for higher HP models, the 4530's chassis is designed to be exceptionally strong for long-term structural stability. Also a powerful engine and heavy-duty transmission with shuttle & high lift capacity hydraulics make it perfect for basic chores around the farm like slashing, loader and PTO work.




Unmatched NEF Engine: The engine offers an unmatched combination of performance, fuel consumption and reliability. The high displacement coupled with the advanced design ensures a maximum torque of 152 Nm. Also its excellent torque characteristics keep you moving even in the most difficult conditions.

Heavy Duty Transmission: : The heavy duty transmission with side shift levers and standard 8F+8R is extremely easy to operate. It incorporates very wide gears and provides great strength for the high torque loads being transmitted. The left-hand synchronized reverser provides smooth and great control for maximum productivity during intense loader operations. The foot operated differential lock allows power to be equally transferred to both rear wheels for maximum traction when needed. The 540 rpm independent PTO is standard.



Effortless Clutch: The low effort dual clutch is a simple reliable unit designed for smooth engagements. The large diameter cerametallic friction discs provide long lasting performance and ample surface area to transfer power effectively.


Front Axle: High reliability in loader and field operations is ensured by using the front axle which is designed for higher class tractors. The bevel gear front axle with a responsive hydrostatic steering provides a tight steering angle, so getting in and out of confined areas is easy.





Powerful Hydraulics: The live powerful hydraulics boast of a maximum lift capacity of 1800 kg. to handle the heaviest of implements. One or two remote hydraulics are provided as an option to facilitate working with hydraulically powered implements.


3-Point Linkage: Heavy and sturdy 3-Point linkage is employed to ensure stability and safety. The lift rods and stabilisers are designed to allow easy implement hook up.



Deluxe Seat: Designed for comfort this seat features formed cushions, adjustable suspension and armrests. It is adjustable fore, aft and for operator weight as well. The retractable seat belt is standard



Friendly Instrument Panel: The ergonomically designed instrument panel is very operator friendly. The gauges are smartly arranged and the panel is easy to read.



Proven Quality: Mahindra Tractors is the first tractor company in the world to be awarded the prestigious Deming Application Prize. It is one of the world's top awards for quality and is given to companies that practise Total Quality Management in their entire business operations. And it's a standard that Mahindra is committed to maintaining for their Australian customers.



Mahindra Group: The Mahindra group is one of India's largest business houses. The group has a turnover of over AUD 2.5 Bn and are leaders in a multitude of diverse business areas. Mahindra ranks among the largest tractor companies in the world, with sales of more than 60,000 tractors annually to 10 countries across the world. In the Indian tractor market, Mahindra Tractors is no.1. A position it has held for more than 22 successive years. A strong dealer network in excess of 450 dealers across the length and breadth of the country, state-of-the-art manufacturing facilities that can produce 150,000 tractors a year and a solid understanding of what farmers demand from their tractors have made Mahindra Tractors what it is today.

Mahindra USA: The company has a strong presence in the US tractor market too. A wholly owned subsidiary based in USA, Mahindra Tractors has two assembly plants and a major share of its chosen market segment. A recent survey established 98% Mahindra owners were likely to recommend a Mahindra tractor to their friends and family. Their secret is rather simple. High performance tractors, a very strong dealer network and the ability to adapt to what their customers demand.

Mahindra Australia: Mahindra Tractors has established an assembly and customer support centre in Brisbane to ensure that the tractors you buy, whether compact or utility, are world class in build, performance and after sales service too.

Every Mahindra Tractor comes with an industry leading 3-year engine and powertrain warranty and a comprehensive spares stock ensures you never have to wait for spares. These tractors are of the same pedigree of tractors that have proven themselves in every farm in the world. Tractors that a million farmers, the world over, depend on to cultivate their dreams.



4530- 4WD

ENGINE	Compression Ratio	19.4:1
	Cylinders	3
	Displacement cc	2392
	Engine HP (kW) @ rpm	42.5 (31.7) @ 2100
	Type	Four stroke, direct injection, water-cooled, diesel
ELECTRIC	Alternator	12 volt, 36 amps
	Battery Capacity	12 volt, 96 amp hours
CLUTCH	Type	Dual dry with cerametallic lining
TRANSMISSION	Number of speeds	8 forward, 8 reverse
	Type	Forward-Reverse Synchro-Shuttle with full synchromesh
STEERING	Pump Output litres per minute	18.3
	Type	Hydrostatic power
BRAKES	Type	Dry disc
HYDRAULIC SYSTEM	3-Point Linkage	Category 1 & 2 with telescopic check chains
	Rear Auxiliary Remote Valves	1 or 2 spool optional
	Lift Capacity kgs.	1800
	Pump Output litres per minute	41.6
	Type	Open center, full-live hydraulic with position and draft controls
PTO	PTO HP (kW)	34 (25.3)
	PTO RPM (engine rpm)	540 @ 2100
	Type	Independent
OPERATING WEIGHT	Total kgs.	2595
DIMENSIONS	Overall Length mm	3400
	Overall Width mm	1854
	Turning Radius Min mm	3325
TIRES	Ag (Front / Rear)	9.5x20 / 13.6x28
	Industrial (Front / Rear)	10.5/80x18 / 16.9x24
OPTIONAL FITMENT	Front Jerry Can Weights and Bracket	Available

*3-year engine and powertrain warranty. See dealer for details.
Specification and design subject to change without notice.

Mahindra & Mahindra Ltd., Farm Equipment Sector, 44, Achievement Crescent, Acacia Ridge, Brisbane, QLD- 4110, Australia. Tel: 1800 45 95 75, +61(7) 3272 7020
Fax : +61(7) 3272 7021 www.mahindraaustralia.com