

AMERICAN SERIES
TRACTORS


WHITE





A RICH HERITAGE




Since the beginning, we've not only built farm equipment, we've invented it. We've set standards for others to follow. And, we have offered American agriculture a commitment to excellence that has been carried through generation after generation.



It all started in 1855, when James Oliver invented the chilled plow and established the Oliver Equipment Company. □ And, as early as 1887, the Minneapolis Threshing Machine Company pioneered the steam engine. As time passed, Minneapolis Moline introduced the first tractor with a cab,



known as the Comfortactor. □ 1901 was the year the first successful production farm tractor in America rolled off the line at our Hart Parr plant in Charles City, Iowa. □ And, in 1947 another industry first emerged at the



Cockshutt Plow Co. where the first independent, live PTO was introduced.

□ As generations passed, these companies were purchased by White Motor Company. And, as they became one, the White Farm Equipment Company came to life. □ Today, at White Farm Equipment Company, we're building farm equipment like they used to. □ True, the manufacturing methods have changed. But, our commitment to excellence hasn't. □ It's the strength of our rich heritage and the foundation for a solid future at White Farm Equipment Company.

A Rich Heritage
A SOLID FUTURE

A SOLID FUTURE



SOLID DEPENDABILITY SOLID VALUE


for years to come

Anyone who says American design can't compete hasn't seen the White American Series Tractors.

We believe styling, comfort and safety are as important to your performance as the design mechanics are to tractor performance. That's why we set out to design an American made midsize tractor that will give the others a run for their money. And so, we present the only American made tractor in it's class where styling, comfort and performance are evident.

UPFRONT. . .


Functional styling and safety begins with powerful quartz halogen headlights



and fender lights for optimum front and rear visibility. Optional deluxe lighting package features custom lenses.

AT THE CONTROL CENTER. . .

All vital functions are easily monitored and performed starting with the instrumentation panel fully displaying gauges, warning lights, and switches. A highly visible, bar graph depicts mph ratings for our Three Speed Powershift.



At your side, the console puts the 3 Speed Powershift control, the throttle and hydraulic controls, and the 3 point hitch control within easy reach.

And, at your feet, you'll find comfort with plenty of leg room on the wide, flat platform. So go ahead and position yourself in the deluxe comfort seat. You'll see how easy it is to take command of the American Series by White.



FROM WHEEL TO WHEEL . . .

Our 2WD and 4WD American Series Tractors are designed to fit the job at hand. When you need wider wheel width, the wheels can be infinitely adjusted easily to any desirable rear wheel tread setting.



For added traction on the move, a rocker switch activates the differential lock to prevent wheel slippage allowing both rear drive wheels to work together.

The master of any field condition is the optional Full Power Front Axle. Since the days of the Oliver 1900, when White first introduced a mechanical power front axle (PFA), farmers have opted for the added versatility and traction of the PFA. Today, that same need is met through advanced engineering on White's American Series Tractors.

**POWER WITH A
CAPITAL**



At the heart of the American Series Tractor, you'll find the Cummins B Series Diesel Engine delivering top performance, top fuel efficiency, and years of trouble free operation.

These American Series Tractor engines are quiet, clean running and reliable. Design features on these 239 cu. in., direct


injected, 4 cylinder diesel engines include liquid cooling for consistent operating efficiency in varying conditions and inline configuration for fewer parts and easier servicing.

Turbocharging on the 80 hp American Series Tractor engine produces added power boost with an ideal air-to-fuel mix for complete combustion.

At service time, you have the added plus of fewer engine parts. It makes for

fast, low cost maintenance. In addition to ease of serviceability is ease of access to the engine with the easy off side panels on both White's Model 60 and 80 Tractors.

The Cummins B Series Engine. A well known, highly respected American made engine that delivers power for more productivity. It's a perfect match for the American Series Tractors from White.




QUALITY THAT BRINGS YOU *back to the future*


We're building them like they used to! With the same quality and rugged reliability that has stood the test of time.

THE HEAVIEST MAIN FRAME IN ITS CLASS . . .

The same heavy cast iron construction that's found on our bigger tractors is used on White's American Series Tractors. With more weight up front for better distribution,



front, mid or rear attachments can be handled without adding stress to tractor components. Optional front and rear weights can be added when additional traction is needed.



DRIVETRAIN RELIABILITY . . .

It's time proven with White's reliable 6 speed transmission delivering an efficient transfer of power. Coupled with heavy-duty components and the Diff-Lock advantage, the American Series Tractors provide powerful driveline capabilities.

MORE POWER, MORE SPEED . . .

It's as easy as ABC with the 3 Speed Powershift Transmission option featured on these White Tractors.

A total of 18 forward speeds instantly gives you the power and speed you need for any crop or ground condition.

With underdrive and overdrive capabilities at your fingertips, you can change your pulling power or your ground speed to get the job done quickly without interruption.

POWER IN, POWER OUT . . .

For smooth delivery to PTO driven machines, an independent, dual speed (540/1000 rpm) PTO is standard equipment on the Model 80 to accommodate a wide variety of operations. The Model 60 features a 540 rpm PTO with the dual speed PTO available as an option.






INSTANT HYDRAULIC RESPONSE . . .

With a 20 gallon per minute capacity, the advanced open center hydraulic system provides consistent and accurate flow and pressure (2200 psi) for quick response and constant control.



3 POINT HITCH . . .

Jobs that previously required a larger tractor to handle, can be handled with the American Series Tractors thanks to the 4500 lb. high lift capacity of the Category I-II 3 point hitch. Standard equipment includes single lever position control and lower link draft sensing. Extendable lower links, available as an option, make hook-up of attachments fast and easy.



SPECIFICATIONS

MODEL	60	80
Dimensions: 2WD With 16.9-30 Tires		
Height (Top of Rollbar)	96.75" (2.46 m)	96.75" (2.46 m)
Height (Top of Hood)	63.8" (1.62 m)	65.8" (1.62 m)
Length	151.5" (3.85 m)	152.5" (3.85 m)
Width	81.5" (2.07 m)	81.5" (2.07 m)
Weight	6940 lbs. (3148 kg)	7150 lbs. (3243 kg)
Wheelbase	95.5" (2.43 m)	95.5" (2.43 m)
Min. Ground Clearance	17.75" (45.1 cm)	18.9" (48.06 m)
Turn Radius, W/Brakes	11.0' (3.35 m)	11.0' (3.35 m)
Tread Width, Front	60-84" (1.52 m - 2.13 m)	60-84" (1.52 m - 2.13 m)
Rear	60-89.5" (1.52 m - 2.27 m)	60-89.5" (1.52 m - 2.27 m)
PTO Horsepower	60* (45 kW)	80* (60 kW)
ENGINE		
Displacement	239 cu. in. (3.9 L)	239 cu. in. (3.9 L)
Number of Cylinders	4	4
Bore X Stroke	4.02 X 4.72 (102 X 120 mm)	4.02 X 4.72 (102 X 120 mm)
Rated Speed	2200 rpm	2200 rpm
Aspiration	naturally	turbocharged
DRIVETRAIN:		
Transmission Type	sliding gear	collar shift
Forward/Reverse Speeds	6/2	6/2
Differential Lock	electro/hydraulic	electro/hydraulic
HYDRAULICS:		
Type	open center	open center
Gallons/Minute	20 (76 L/min.)	20 (76 L/min.)
Pressure	2200 psi (1517 kPa)	2200 psi (1517 kPa)
Remote Valve	one, float and detent	one, float and detent
Steering	power, hydrostatic	power, hydrostatic
THREE POINT HITCH:		
Type	Cat. II-I	Cat. II-I
Lift Capacity	4500 lbs. (2041 kg)	5000 lbs. (2268 kg)
Draft Control	lower link	lower link
PTO:		
Type	independent	independent
Clutch	hydraulic	hydraulic
Speeds	540 rpm	540/1000 rpm
CAPACITIES:		
Fuel	20 gal. (76 L)	20 gal. (76 L)
Engine Oil	2.9 gal. (11 L)	2.9 gal. (11 L)
Transmission and Hydraulics	13 gal. (49 L)	13 gal. (49 L)
Cooling System	6 gal. (23 L)	6 gal. (23 L)
Alternator	62 AMP	62 AMP

* Manufacturer's Estimated Horsepower Rating

2WD TIRE AND WHEEL OPTIONS

TIRE SIZE	WHEEL	60	80
FRONT:			
7.50-16	6 PLY F1	P/S	STD N/A
7.50-18	6 PLY F1	P/A	OPT STD
10.00-16	6 PLY F1	P/S	OPT OPT
9.5L-15	6 PLY F1	P/S	OPT OPT
27x9.50-15	6 PLY NHS	P/S	OPT OPT
REAR:			
16.9-30	6 PLY R1	P/S, C/I	STD N/A
16.9-34	6 PLY R1	P/S, C/I	OPT STD
18.4-34	6 PLY R1	P/S, C/I	OPT OPT
18.4R-34	* R1	P/S, C/I	OPT OPT
15.5-38	6 PLY R1	C/I	OPT OPT
16.9-24	6 PLY R1	P/S	OPT OPT
18.4-26	6 PLY R1	P/S	OPT OPT
18.4R-26	**R1	P/S	OPT OPT
16.9-24	6 PLY R3	P/S	OPT OPT
18.4-26	6 PLY R3	P/S	OPT OPT
18.4-34	6 PLY R2	P/S, C/I	OPT OPT

PFA TIRE AND WHEEL OPTIONS

TIRE SIZE	WHEEL	60	80
FRONT:			
9.50-24	6 PLY R1 &	P/S	
16.9-30	6 PLY R1	P/S	STD N/A
11.2-24	6 PLY R1 &	P/S	
16.9-34	6 PLY R1	P/S, C/I	OPT STD
13.6-24	8 PLY R1 &	P/S	
18.4-34	6 PLY R1	P/S, C/I	OPT OPT
13.6-24	8 PLY R1 &	P/S	
18.4R-34	* R1	P/S, C/I	OPT OPT
11.2-24	6 PLY R1 &	P/S	
15.5-38	6 PLY R1	C/I	OPT OPT
P/S - PRESSED STEEL WHEELS			
C/I - CAST IRON WHEELS			

Our policy of continuing improvement may result in minor product changes.
We reserve the right to change design and/or specifications without notice or obligation.



WHITE FARM EQUIPMENT

123 W. Sycamore Street • Coldwater, Ohio 45828


DIVISION OF ALLIED PRODUCTS CORPORATION

OPTIONS

- Three Speed Power Shift Transmission
- Telescoping Lower Three Point Hitch Links
- Second and Third Remote Detent Valves
- Armrest Package
- Dual Speed PTO (Standard on 80)
- Deluxe Lighting Package
- Canopy
- Front Weight Bracket
- Front Weights
- Rear Wheel Weights
- Toolbox
- Horizontal Exhaust
- Coolant Heater (750 Watt)
- Ether Start Kit
- Front Drive Shaft Shield (PFA only)

SPIRITED COLORS!

To commemorate our rich heritage, we offer the American Series Tractors in a legacy of colors. With these spirited colors, representing the legends of American agriculture that are very much a part of White Farm Equipment Company, we proudly present another first from White!



White Silver (Standard)



Cockshutt Red



Minneapolis Moline Gold



Oliver Green

Ask your Dealer for details!

Due to occasional printing irregularities, color swatches may vary.



Form No. FP 89-339

Printed in U.S.A.

*Registered in U.S. Patent and Trademark Office