

UTILITY RANGE

50 | 60 | 75 | 85 | 95

EXPLORER SPECIAL AND COMMANDO



SAME
TRADITIONALLY INNOVATIVE

EXPLORER AND COMMANDO

GIVE A LOT but ask for little

The Explorer and Commando tractors are simple, practical and functional, the perfect choice for farmers who want an economical machine that delivers low running costs plus all the performance, reliability and prestige of a SAME.

Equipped with SAME Euro I 1000 Series three and four cylinder engines, these robust, powerful and reliable engines are designed to carry on working tirelessly.

The modern design includes high pressure injection systems with individual pumps that deliver considerable torque rise (up to 34%) and also ensures fuel consumption and maintenance costs are kept to an absolute minimum.



SAME Commando 603

Practical and Durable

Versatility and simplicity of use are the fundamental characteristics of this range of multipurpose tractors. The synchronised gearboxes offer 12 or 20 speeds ensuring they can tackle an amazing variety of jobs with ease.


Proven design and pressure lubrication of the transmission means excellent durability even under extreme conditions and with outstanding levels of PTO power available, versatility is assured.



SAME Explorer 95

Safe As...

SAME's utility tractors have an enviable reputation, not only for economy, reliability and performance, but also safety. Climb onto an Explorer or Commando and you get an instant feeling not only of solidity but of rational design and ergonomics. Excellent weight distribution, an exceptionally low centre of gravity, plus great all round visibility inspires you with confidence. Front and rear positively locked differential locks are standard giving exceptional traction.



On the Explorer range SAME's exclusive front axle also has the added reassurance of true four wheel braking plus a four post ROPS frame.



All Under Control in Maximum Comfort

Such a timeless and dependable workmate cannot fail to be attentive to the needs of the driver. Low noise liquid cooled engines, suspended brake and clutch pedals, simple easy to use mechanical controls and transmission levers placed to the operators right means your SAME utility tractor is a true workmate.

Combine this with hydrostatic power steering and hydrostatic brakes and you really have outstanding control with comfort.

Think real savings without sacrifices.

Think of everything you could possibly want from a multipurpose utility tractor.

Think Explorer and Commando from the world's pioneer in 4 wheel drive tractor technology - SAME.



SPECIFICATIONS

MODEL	Commando 503	Commando 603	Explorer 75	Explorer 85	Explorer 95
ENGINE SAME	1000.3 W	1000.3 W	1000.3 W	1000.4 W	1000.4 WT
Cylinders/Displacement no./cm ³	3/3000	3/3000	4/4000	4/4000	4/4000
Max. homologated power .HP	53	63	75	86	94
Nominal engine speed rpm	2350	2350	2350	2500	2500
Max. torque Nm/RPM	204/1150	234/1400	255/1400	275/1400	330/1400
Cooling			liquid - oil		
Fuel tank capacity litres	56	56	67	85	85

TRANSMISSION SAME	Synchronmesh		Synchronmesh & Synchro shuttle		
Gearbox clutch	mechanically operated		hydraulically operated		
Mechanical gearbox Fwd & Rev. speeds	12 + 3	12 + 3	12 + 12	20 + 20	20 + 20
Max. speed km/h	30	30	30	40	40
Lubrication	pressure lubricated				
Differential locks	front and rear				

BRAKES	Hydrostatic and suspended pedals				
Braking system	oil coiled discs on rear wheels		oil coiled discs on all four wheels		
Parking brake	independent				

STEERING	Hydrostatic steering with independent pump				
Steering angle	55 deg.	55 deg.	50 deg.	50 deg.	50 deg.

P.T.O.					
Engagement	mechanically operated		hydraulically operated		
Speed	540		540 - 1000		


HYDRAULIC LIFT					
System control	mechanical				
Maximum lift capacity kg	1500	1500	3450	3450	3450
Pump delivery l/min	33	33	54	56	56
Remote valves	2	2	2	2	2

ROPS	2-post fixed		4-post fixed		
------	--------------	--	--------------	--	--

DIMENSIONS AND WEIGHTS					
Wheelbase mm	2045	2045	2245	2300	2300
Minimum steering radius mm	3200	3200	4150	4500	4500
Weight kg	2200	2300	2900	3150	3250



Your local dealer



For standard equipment and options, please refer to your local dealer for details. The above specifications are subject to change due to product improvement.

FREEPHONE
0800 697263
 NZ SAME

SAME
 TRADITIONALLY INNOVATIVE