

# Put the power of a Farmgard Grader Blade where you need it most ...



**... Where the blade bites the ground**



# Farmgard time tested tech where it belongs ... on the

## "Mini"

This deceptively strong JUNIOR member of the Farmgard family is the ideal back-blade for compact tractors

### FARMGARD FEATURES

- Re-inforced boxed A-Frame.
- 2 Tilting positions.
- RHS Main Beam.
- 5 Angle Settings. • Depth Regulator.
- Retensionable Main Pivot Pin. • Strength Gussets.
- Replaceable Hard Cutting Edge. • Rolled -Top Edge for Strength. • 1500mm (5ft) wide. • Suits Tractors up to 30 HP Class Cat.1. • Fully reversible for Back-Blading. • Thread Adjustment on Main Angling Pivot to allow for Adjustment During 'Running-in-Period'.
- All Adjustment Pins Through 3 Thicknesses of Heavy Steel to Minimise Wear at those High-Stress Areas. • Optional Levelling Wheel Available- Fully Adjustable and Detachable.



## "H.D. Industrial"



## "Midi 120"

The Nuggety little "All Options, All Adjustments" Back-Blade for Contractors, Hire-Firms, Landscapers and Gardeners. For Tractors up to 40HP.




### FARMGARD FEATURES:

- 7 Offset Positions • RHS Heavy-duty Main Beam. • 5 Tilting Positions.
- 10 Angle Setting. • Threaded nut adjustment on main pin for Re-Tensioning.
- Well spaced rear Supports for Added Rigidity. • Gussets for Extra Strength.
- A-Frame fully gusseted for Forward and Reverse Grading. • 1500mm (5ft) Wide. • Suit tractors up to 40HP Class Cat.1. • Fully reversible for Back-Blading. • All adjustment Pins Through Minimum of 45mm of Heavy Steel to Minimise Wear at those HighStress areas. • 85% of Weight on the Cutting Edge. • Optional Levelling wheel Available- Fully adjustable and Detachable.

The Farmgard HD Industrial 450 and Contractor 560 Hydraulic Graders give you huge Pull, Push and Gearing, from the comfort of your cab. Flexibility and Versatility.

### FARMGARD FEATURES:


- Contractor 450=450kg. 2100mm (7ft).
- Industrial 560=560kg. 2400mm (8ft).
- Re-Tensionable Main turntable Pin.
- Boxed at Rear for Strength.
- Pre-Stressed Turntable Plates.
- Greaseable Pivot Points.
- Double Clevis Ram Mounting.
- RHS Re-Inforced Main Beam.



**OPTIONS:** Heavy Duty Adjustable Manual or Hydraulic Angle, Offset and 6 Port Divertor valve. Side Extension


# Technology puts all the weight cutting edge of the blade!

## Industrial 450 & 560"



Powerful Blades  
Powerful actions at the touch of a  
button. Super Strength combined with

- Double acting Hydraulic Rams.
- Double Clevis mounting.
- Flexible High-Pressure hosing.
- Big 480mm depth.
- HD Manganese reversible Cutting edge.
- Manual or hydraulic Control.
- Adjustable Levelling wheel optional.



Optional Manual or Hydraulic Levelling wheel.  
For tilting adjustments. Electric or Manual  
Controls for (10ft) 3m coverage.

## "Agricultural 260" (6' & 7')



**260** kg of  
Sheer Power with  
RealBite. The true  
'Small Cockies'  
Back-blade.

- Multiple Offset settings through Double Clevis
- Multiple Tilt settings through Double Clevis
- Deeper Blade back for carrying soil
- Twin Bolts at end to maximise strength on cutting edge
- Retensionable turntable pivot for no slop
- Rear Support Gusset for Strength
- Reversible Manganese Steel Cutting Edge
- Heavy 8mm thick Main Curl
- Rounded Safety Edges
- Dual Cat 1 and 11 Linkage Pins
- 1800 mm (6ft) wide or 2100 mm (7ft) wide
- 260 kg weight
- Suit tractors up to 60 HP. Cat 1&11
- Fully reversible for Back-Blading
- All Adjustment Pins supported through 3 x thickness of Steel to minimise wear
- Unique design gives 85% of total Blade weight over Cutting Edge for better Bite
- Optional Levelling wheel available
- Carries Farmgard Guarantee.

## "Industrial 400"

**400** kg of 'REAL' Strength.  
This is an example of Farmgard's new generation range of Grader blades based on a U.S. design concept for higher HP 4WD tractors.



### FARMGARD FEATURES:

- Heavy Wall-10mm thick RHS Main Beam
- 9 x Offset Positions
- 9 x Tilt settings
- 10 mm Thick Blade Curl.
- Deeper Blade-Back. • Twin Bolts at Blade -Ends to maximise Strength.
- 18 x Angle Settings Fixed Pivot Pins Through Hardened Replaceable bushes to Reduce Wear.
- Reversible Hardened Manganese Steel Cutting Edge.
- Re-Inforced Boxed Back. • Ample Clearance to Avoid Dirt Build-up. • Easy Removable Cat 11 Pins. • Double Clevis Linking Arms. • 2100mm (7ft) Wide. • 400kg weight. • Suit tractors up to 80 HP. • Fully reversible for Back-Blading.
- All adjustment Pins supported through 3 x Thickness of Steel to Minimise Wear. • Converts to Hydraulic Controls if Required at a Later date-Available at your Farmgard dealer. • Convenient Parking Stand. • Optional Levelling Wheel Available. • Unique design Gives 85% of Total Blade Weight over Cutting Edge for Better Bite.

# The Mighty "Bulldozer 820"

The Starship of the Range!

When the job calls for no-nonsense, pure power- it calls for the strength of Farmgard's BULLDOZER Blades. Brute Strength with finger-tip control. Brains, Brawn and Precision engineering.



**ROBUST! • POWERFUL! • 820kg!  
EFFORTLESS DIGGING.  
FULLY HYDRAULIC ANGLE TILT AND OFFSET.**

2700 mm (9') wide with all the options of the Farmgard blades AND MORE! Only seeing this "grunt implement" will convince you to believe it's capabilities!

Optional levelling wheel (manual or hydraulic adjustment)



## **FARMGARD**

### **Farmgard Grader Blades**

### **... They get a grip on your ground**

