

**Jonserseds.  
Tough on wood.  
Not on you.**



# A power saw s

**The kick back guard** protects from injury if the saw should inadvertently kick when "lopping". Made of a specially flexible plastic material, it is resilient enough to flex when working round branches and trunks, and work can proceed unhindered.

**Safety catch** in the rear handle prevents accidental opening of the throttle with the engine in the idling position.



**Vibration.** Rubber dampers between the handle and the engine body reduce this at source. This reduces the effect of engine vibration on the fingers and hands of the operator.

**Lopping.** The saw is fitted with integral bottom runners allowing it to slide around the tree trunk, so making your work easier.


# Should be tough. And safe.

Operator comfort is the main consideration of the modern designer.

The Jonsereds is tailored to suit the operator, not the other way round. Efficiency with safety pays. It is an accepted fact that in this machine age, the most valuable asset is a worker who is happy and comfortable with his tools, and safe from danger. Safety is a continuing problem, particularly in forest work, which can be hazardous even to the highly skilled because of the environment and the potential danger of the tools used.

Jonsereds power saws are thoroughly tested and the designs reflect the combined knowledge of many specialists — all experts in their own field — foresters, engineers, doctors, designers and draughtsmen among others. Safety and efficiency have been, and continue to be the ultimate goal. This is why Jonsereds saws are equipped with many features that you may not have seen before. You can be sure that they are there by design and not by accident.

**The silencer** is placed in front so that size and capacity are not restricted. Exhaust fumes are blown clear of the operator so you will not get burnt hands. All welded construction for strength and long life.



**Adjustable automatic chain lubrication.**

**Bark grip** for added leverage when felling.

**Weight** is very low in relation to engine power. It is possible to work faster for a longer period of time, and this conserves your energy until you really need it.


**Fuel tank** has a large capacity. Longer working periods between refills.



## Jonsereds 621.

Weight with 12" bar  
and chain ..... 15¼ lbs.  
Cylinder capacity .. 56 c. c.  
Chain Speed ..... 65 ft. per second.  
Fuel Tank ..... 1.7 pints (1 litre)  
Oil Tank ..... 0.7 pints (0.4 litres)  
Bar lengths ..... 12, 13, 16, 19 and  
22 inches.

Equipped as standard with vibration dampers of oil and heat resistant rubber on both handles. Fully protected sparking plug. Safety catch in rear handle. Automatic adjustable chain lubrication.



## Jonsereds 80.

Weight with 16" bar  
and chain ..... 17½ lbs.  
Cylinder capacity .. 80 c. c.  
Chain Speed ..... 62 ft. per second.  
Fuel Tank ..... 1.8 pints (1.1 litres)  
Oil Tank ..... 0.7 pints (0.4 litres)  
Bar lengths ..... 16, 19, 22, 23 and  
31 inches.

Equipped as standard with vibration dampers of oil and heat resistant rubber on both handles. Fully protected sparking plug. Safety catch in rear handle. Automatic adjustable chain lubrication.



\$352-00

3 MONTHS WARRANTY

## Jonsereds RS-601.

Complete weight .... 26½ lbs.  
Cylinder capacity .. 56 c. c.  
Fuel Tank ..... 1.7 points (1 litre)  
Saw Blade ..... 1.6 mm thickness,  
44 teeth.

Vibration dampers fitted as standard. Raised steering handles. Rod type throttle control. Quick release harness.

Dealer:

# Jonsereds

Jonsereds Fabrikers AB  
Fack  
433 01 Partille 1, Sweden.  
Manufacturer of Scandinavia's No. 1 Power  
Saw.